S/137/60/000/011/028/043 A006/A001

Roentgenographical Investigation of Surface Cold Hardness Arising During the Turning of Steel

closely connected with the process of the arising of stresses of the second order; if any of the cutting parameters changes, the curves showing the changes of stresses of the first and second order, are almost parallel. The presence of high stresses of the first order in the surface layer can be explained by the considerable strengthening of the latter and the particular nature of the strained state in the layer determined by the penetration of roentgen rays into the metal. This state possesses the nature of oriented stresses of the second order. There are 21 references.

I.K.

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

32-8-22/61

Utilization of Photometric X-Ray Photograph Curves by the Method of Approximation.

this paper suggests a new method which permits to determine the parameters according to photometric curves. For the contour of the interference band the following expression is obtained in the

Examples for the application of this method are given and individual cases described. (lillustration and l table).

ASSOCIATION State university in Petrozavodsk. (Petrozavodskiy gosudarstvennyy universitet).

AVAILABLE Library of Congress.

Card 2/2

SHIVRIN, O.N.; MIMUKHIN, B.M.

Anisotropy of second order atomic deformations in the crystal lattice of plastically deformed tungsten, nickel, and aluminum. Izv. vys. ucheb. zav.; řiz. no.3:135-140 *58. (MIRA 11:9)

1. Petrozavodskiy gosuniversitet.
(Metal crystals) (Metallography)

68034

SOV/155-58-6-36/36

24(4) 24,7200

Shivrin, O.N.

AUTHOR:

On the Estimation of the Characteristics of the Mosaic Structure of Polycrystals With Respect to the Intensity of

TITLE: Nauchnyye doklady vysshey shkoly.Fiziko-matematicheskiye nauki, PERIODICAL:

ABSTRACT:

The author reports on the measurement of the intensity of X-ray reflections on coarse and fine-grained tempered steel 45. Test pieces after heat treatment of two kinds are used: 47. Test preces arter heat treatment of two kinds are used:
1.) After a water hardening with 900° there took place an anneal-

2.) The annealing took place under 920° for 1.5 hours. By ing at 700° for 1 hour. comparing the experimental and theoretical values of the atomic dispersion it was stated that the variation of the intensity of the images compared with the ideal mosaic crystal was caused by the effect of the secondary extinction in both

cases. The mosaic constant

 $g = (2\sqrt{\pi} \Delta)^{-1}$ characterizing

this effect was calculated from the experimental data in both

card 1/2

68034

34

On the Estimation of the Characteristics of the SOV/155-58-6-36/36 Mosaic Structure of Polycrystals With Respect to the Intensity of X-ray Reflections

cases. It was shown that the perfection of the crystallites is somewhat smaller in coarse-grained steel than in fine-grained steel.

V.I. Iveronova, B.Ya. Pines and E.F. Chaykovskiy are mentioned.

There are 1 figure, 1 table, and 14 references, 9 of which are Soviet, 3 English and 2 Czech.

ASSOCIATION: Petrozavodskiy gosudarstvennyy universitet (Petrozavodsk State University)

SUBMITTED: September 29, 1958

Card 2/2

307/120-5-4-16/34

Shivrin, O.N.

Influence of Extinction on the Intensity of the Rear AUTHOR: Lines of X-Ray Diffraction Patterns of Metals Deformed TITLE:

in the Cold State (O vlivanii ekstinktsii na intensivnost' zadnikh liniy rentgenogramm kholodnodeform~

irovannykh metallov)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6,

Nr 4, pp 682-685 (USSR)

A change in the intensity of the rear lines of X-ray diffraction pictures were investigated for copper. ABSTRACT:

brass I-62, commercial aluminium (deformed by static

compression). The specimens were cylindrical of

10 mm dia, 15 mm height (copper and brass) and 20 mm dia, 30 mm height (for aluminium). Prior to deformation, the copper specimens were annealed at 400°C for two hours,

the brass specimens were annealed at 450°C for one hour and the aluminium specimens were annealed at 400°C for one hour. The cooling was effected in the furnace with a speed of 40°C/hr. The K-ray exposures were made by means of CuK, radiation, whereby the average error did

not exceed 1 to 2%. The obtained results are graphed Card 1/4

SOV/126-0-1-3

Influence of Extinction on the Intensity of the Rear Lines of X-Ray Diffraction Patterns of Metals Deformed in the Cold State

in Figs.1 and 2 and it can be seen that the intensity of the lines (331), (420) for copper and brass is lower in the non-deformed state than after deformation. The highest intensity is observed for low degrees of deformation; with increasing deformation the intensity decreases but will still remain higher than for the annealed specimen. This dependence confirms the assumption that extinction has an influence on the intensity of the rear lines. In similar experiments with aluminium, Fig. 2, a monovonous increase was observed of the intensity of the lines (422), (511) in the entire interval of the coange of the residual deformations. Experiments were also made on 30 x 10 mm disc-shaped specimens of the Steel 45, which were first subjected to recrystallisation annealing at 850°C for two hours and, following that, the disc plane was polished by hand with an enery paper and in some cases additionally with a fabric wheel; the results

Card 2/4

307/126-6-4-16/3

Influence of Extinction on the Intensity of the Hear Lines of X-Ray Diffraction Patterns of Metals Deformed in the Gold State

are graphed in Fig. 3. Removal of the work hardened layers from such specimens produced an appreciable reduction in the intensity of the line (220) which ceased altogether at a depth of 50µ from the surface. The obtained results indicate that, in the case of various materials and various conditions of deformation, the secondary extinctions have a considerable influence on the intensity of the rear X-ray diffraction lines. Weakening of this influence as a result of fragmentation of blocks during cold deformation leads to a strengthening of the intensity of these lines, as a result of which information on Type 111 distortions will prove erroneous. Therefore, it is necessary to treat with caution results of work relating to determination of Type 111 distortions in which the

Card 3/4

SOV/126-6-4-16/34

Influence of Extinction on the Intensity of the Rear Lines of K-Ray Diffraction Patterns of Metals Deformed in the Cold State

influence of extinction has not been taken into consideration. There are 3 figures and 6 Soviet references.

ASSOCIATION: Petrozavodskiy Gosudarstvennyy Universitet

(Petrozavodsk State University)

SUBMITTED: 28th January 1957.

Card 4/4

SHIVKIN, & N

SOV/126-6-4-28/34

AUTHOR:

Shivrin, O.N.

TITLE:

Discussion on V.M.Finkel's Paper on "Crystal Lattice Distortions in Coarse and Fine Grained Steel During Cold, Plastic Deformation" (Fizika Metallov i

Metallovedeniye 1956, Vol 2, Nr 1, p 189) (Po povodu stat i V.M.Finkelya "Iskazheniya

Kristallicheskey Reshetki Krypno- i Melkozernistoy Stali Pri Kholodney Plasticheskoy Deformatsii")

PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6, Nr 4, pp 757-760 (USSR)

ABSTRACT:

It was reported by Finkel' that in a wide range (80%) of plastic deformation the intensity of the (310) lines (Co-radiation) of coarsely grained steel remained practically constant. Under the same conditions, the intensity of the (211) lines (Cr-radiation) was 1.4 times

intensity of the (211) lines (Cr-radiation) was 1.4 time higher, but also did not depend on the degree of the plastic deformation. While granting that this fact is of great practical interest, 0.N.Shivrin disagrees with Finkel's interpretation of his experimental results and

Card 1/12 points out that: (i) It has been shown (Ref.1, 2) the

型 们的自己的现在分词 医克里特氏 医克里特氏 医克里特氏 计图 计图 医克里特氏 医克里特氏

507/126-6-4-28/34

Discussion on V.M.Firkel's Paper on "Crystal Lattice Distortions in Coarsely and Finely Grained Steel During Cold, Plastic Deformation"

process of black fragmentation which causes weakening of the extinction effect practically ceases at 8-10% deformation; with increasing deformation one should expect a decrease of the line intensity as a result of the formation of distortions of the lll-rd type. Such an effect was in fact observed by Shivrin in the case of steel 2 deformed by turning at high rates of feed and small depth of the cut, and in the case of brass and copper under hydrostatic pressure: In every case the intensity of lines increased up to a certain degree of deformation only (ii) Since the intensity of the diffraction background is associated with the magnitude of the distortions of the lll-rd type, but not with the extinction effect, the fact of its remaining constant during deformation of coarsely grained metal is quite incomprehensible. No matter how strong is the masking effect of extinction on the weakening of the intensity of the lines due to

Card 2/12

Discussion on V.M.Finkel's Paper on "Crystal Lattice Distortions in Coarsely and Finely Grained Steel During Cold, Plastic Deformation"

distortions of the lll-rd type, the magnitude of which should be considerable at 80% deformation, their effect should be reflected in the variation of the background intensity. This for some reason or other, was not observed by Finkel. (iii) Block fragmentation results in (a) weakening of the primary extinction effect which is directly associated with the size of the blocks, and indirectly in (b) weakening of the secondary extinction effect due to the increase of the degree of disorientation of the blocks within the crystallites. This means that a metal can be characterised by coarsely grained structure and still not show any secondary extinction effect if only the structure of the crystallites is sufficiently close to the ideal, and that the secondary extinction effect can be considerable even in finely grained metals if only the degree of disorientation of the blocks within each crystallite is sufficiently small. The character of the variation of the line intensity will depend on whether the primary or secondary extinction only, or

Card 3/12

Discussion on V.M.Finkel's Paper on "Crystal Lattice Distortions in Coarsely and Finely Grained Steel During Cold, Plastic Deformation"

both these effects take place in a polycrystalline metal specimen. It is easy to show that, as was postulated by Awarbach (Ref. 3, 4) in the presence of primary extinction only, the variation of the intensity of the lines of high orders is negligible. (This, fact, for some reason or other, is overlooked by Finkel'.) On the other hand, the presence of secondary extinction (Ref. 5, 6), particularly when the conditions are favourable for the formation of texture (Ref.7), the variation of the lines intensity can be quite different. For this reason Finkel's contention that the observed effect was caused exclusively by the secondary extinction is not quite justified, since in the case under consideration the effect of texture might have been the predominant factor. (iv) The difference (not much larger than the limit of the experimental error) of the values of $\sqrt{u^2}$ in the (310) and (211) directions can be attributed not only to the anisctropy of the distortions of the Illard type, but also to the

Card 4/12

Discussion on V.M. Finkel's Paper on "Crystal Lattice Distortions in Coarsely and Finely Grained Steel During Cold, Plastic Deformation"

difference between the depth of penetration of the Co- and Cr-radiation. Some authors favour the hypothesis of the weakened surface layer in which small distortions are neutralised. In the final analysis the correctness of this or other theory can be proved only by further experimental work. There are 9 Soviet references.

ASSOCIATION: Petrozavodskiy Gosuniversitet (Petrozavodsk State

University)

SUBMITTED: 28th January 1957.

Card 5/12

Reply by V.M.Finkel states the following:

In spite of the "coarsely" and "finely" grained structure of the experimental steels, the size of the regions of coherent dispersion in steel 3 did not exceed 1.7 x 10-5cm at 2% deformation and 1.1 x 10-5cm at 4% deformation. In the case of the heat-treated rail steel, the size of the mosaic blocks was smaller by one order of magnitude (e.g. 2 x 10-6cm at 10% deformation).

Reply by V.M.Finkel

Consequently, the observed phenomena cannot be attributed to the effect of primary extinction in either case since primary extinction is practically non-existent at the size of the regions of coherent dispersion quoted above. (Ref. 3, 4). To account for the stability of the intensity of the (310) lines, one has to assume that its decrease due to the effect of micro-distortions of the lll-rd type is counter-balanced by an opposite effect of some other physical factors, such as secondary extinction and texture. The secondary extinction can, in all probability, display itself throughout the whole deformation range: In its initial stages it is associated with the process of block fragmentation and the resulting disorientation of the mosaic blocks, in the later stages it is caused by the process of disorientation not directly connected with the block fragmentation (Ref.5). Unlike secondary extinction, the effect of primary extinction (in a coarsely grained aggregate), being associated with the process of fragmentation only, probably disappears in the initial

Card 6/12

Reply by V.M.Finkel

stages of the deformation (having increased the intensity of the lines), after which the intensity of the lines decreases due to the effect of the distortions of the 111-rd type. Shivrin carried out his experiments on brass and copper in which the size of the mosaic blocks is one or two orders of magnitude larger than that in steel, so that the maximum on his curves is obviously associated with the effect of the primary extinction. When a high carbon content steel is quenched, a structure is obtained which is submicroscopically nonhomogeneous, and which is characterised by small size of the blocks and high degree of their disorientation. This minimises or possibly even eliminates secondary extinction, which would explain the different character of the variation of the lines intensity with deformation in annealed and quenched specimens of steel 3. He (Finkel) did not take into account the effect of texture, since this effect in the case of plane (310) is negligible (Ref.7). In addition, had the observed phenomena been attributed to the effect of texture only, it would imply that the character of the texture in

Card 7/12

CIA-RDP86-00513R001549620007-7

SOV/126 6-4-28/34

Reply by V.M. Finkel

steel 3 and rail steel is basically different (since in the former case 1(310) is constant and 1(211) increases with increasing degree of deformation, while in the latter case both 1(310) and 1(211) decrease) which, of course, cannot be true. It is difficult to understand why Shivrin should be surprised by the fact that the background intensity in deformed steel 3 did not change: The variation of the background intensity in the high carbon content, rail steel did not exceed 7-8%. It is only to be expected that it should amount to less in the case of steel 3 in which, owing to its low carbon content, the lattice distortions caused by deformation are much smaller than those in steel 3. Since the variation of the background intensity is generally small it cannot be used as a practical criterion of the degree of lattice distortion. As regarding Shivrin's comments on the problem of anisotropy, the hypothesis of the weakened surface layer does not seem to have any bearing on this problem: Unstable,

Card 8/12

Reply by V.M.Finkel

elastic distortions may be present in the surface layer, while distortions of the lll-rd type are of non-elastic nature. There are 9 Soviet references.

ASSOCIATION: Sibirskiy Metallurgicheskiy Institut (Siberian Metallurgical Institute)

SUBMITTED: 1st April 1957.

Comments of O.N. Shivrin on the Reply of V.M. Finkel

(i) In his reply Finkel gives the dimensions of the mosaic blocks of the investigated materials which were not given in his original paper. The quoted figures do, in fact, exclude the possibility of the intensity of the (211) and (310) lines being affected by primary extinction, but then he (Shivrin) did not assert that such an effect was possible. On the contrary, he emphasized that secondary extinction is not directly associated with the size of the blocks and that such a

Card 9/12

SOV/126. 5.4-28/34

Comments of O.N. Shivrin on the Reply of V.M. Finkel

direct connection exists in the case of the primary extinction only. (ii) The data on the size of the blocks given by Finkel are not reliable. If the quoted size of the blocks in quenched and tempered rail steel deformed 10% is in fact $D = 3.8 \times 10^{-7}$ cm then the width of the lines (310) calculated from the Selyakov formula is B = 0.285 radion or 16° . This broadening is supposed to be due to the small size of the blocks only, without taking into account the effect of the distortions of the 11-nd type. Under these conditions the (310) lines would disappear completely and one could not discuss the variation of their intensity. This proves that the quoted data on the size of the blocks are incorrect. (iii) The assumption that secondary extinction diminishes throughout the whole deformation range cannot be regarded as well substantiated, since increasing disorientation of the blocks leads to its rapid disappearance. (iv) The increase of the lines intensity observed in brass and copper cannot be attributed to the effect of primary extinction since this effect is negligible

Card 10/12

Comments of O.N.Shivrin on the Reply of V.M.Finkel

already at the size of the blocks equal to 1 x 10⁻⁴cm. In the case under consideration the size of the blocks was 4 x 10⁻⁵, 0.9 x 10⁻⁵ and 4 x 10⁻⁶cm at 2, 5 and 20% deformation, respectively. (v) Finkel's statement that the character of texture in the rail steel and in steel 3 cannot but be the same, has not been questioned. However, it should be borne in mind that even small additions of alloying elements can affect the character of texture formation (Ref.12). Finkel's explanation of the variation of the lines intensity, based on the assumption that it is due to secondary extinction only

Card 11/12

Comments of O.N.Shivrin on the Reply of V.M.Finkel

is not very convincing. There are 12 references of which 8 are Soviet and 4 English.

ASSOCIATION: Petrozavodskiy Gosuniversitet (Petrozavodsk State

University)

SUBMITTED: 10th April 1957.

Card 12/12

是我的的心理,我还是在我的的的话,我们就是我们的心里的一样的话,但是是

SHIVRIN, O.N.

Independent calibration for measuring the intensity of interference lines in the KROS-1 camera. Zav. lab. 24 no.5:645 '58. (MIRA 11:6)

1. Petrozavodskiy gosudarstvennyy universitet. (X-ray spectroscopy)

SOV/139-59-1-23/34 18(7), 24(6)

AUTHORS: Shivrin O.N., Shatin V.S. X-Ray Study of the Softening of Plastically Deformed

Steel During Temperature Relaxation (Rentgenografiches koye izucheniye protsessa razuprochneniya plasticheski

deformirovannoy stali pri temperaturnom otdykhe)

PERIODICAL: Izvestiya Vysshikh Uchebnykh Zavedeniy, Fizika, 1959, Nr 1, pp 128-135 (USSR)

ABSTRACT: Softening of plastically deformed steel St.45 during temperature relaxation has been studied by means of X-rays according to the diffuseness of interference lines. Specimens of this steel were disc shaped, 15 mm diameter and 5 mm long. After heat treatment (quenching from 8500C in oil and tempering at 700 °C for one hour) the specimens were deformed up to 50% in compression. The heavily deformed surface layer was removed by etching in

a mixture of HNO3 and HC1; it was found that the structural distortions were the same throughout each specimen. The specimens were relaxed in a tubular furnace at 300, 350, 400 and 450 °C by soaking for a period of from 10 minutes to 20 hours, depending on

temperature. The specimens were X-rayed in the direction of their ends in a cylindrical chamber of

SOV/139-59-1-23/34

X-Ray Study of the Softening of Plastically Deformed Steel During Temperature Relaxation

57.3 mm diameter in an Fe-irradiation with an Mn filter. In order to obtain narrower lines, a specially made slit diaphragm. 0.15 mm high, was used instead of the usual diaphragm assembly, which was placed directly on the drum of the chamber. This enabled the focusing of the line to be considerably improved and the exposure time to be shortened. The conditions of focusing assumed the form $\alpha=\vartheta$, where α is the angle between the surface of the section and the primary beam, and ϑ is the angle of slip. Each specimen was exposed twice at $\alpha = 72^{\circ}$ for the focusing of the line (22), From the results obtained the magnitude of secondary distortion $\Delta d/d$ and the block size D were obtained by the Kurdyumer-Lysak method, (Refs 13 and 1+). For relaxation at 450° a harmonic analysis of the line (22) was also carried out. Parallel with the X-ray study, Rockwell HR. hardness tests were carried out. The dependence of D, $\Delta d/d$ and $H_{R_{\rm C}}$ on the duration of relaxation for

Card 2/5 a temperature of 400 °C is graphically shown in Fig 1; and for the temperatures 450, 350 and 300 °C it is shown

SOV/139-59-1-23/34
X-ray Study of the Softening of Plastically Deformed Steel During
Temperature Relaxation

in Tables 1, 2 and 3. In the second and third columns of the table, the magnitudes of the true widths of the lines (110) and (220) are shown, and in the fourth column the ratio β_{220}/β_{110} is given, which must lie within the limits of $\beta_{220}/\beta_{110}=2.93$ and $\beta_{220}/\beta_{110}=5.97$, depending on the relationship between the "block" and "micro-deformation" diffuseness of the lines; and in columns 5, 6 and 7 values for D, $\Delta d/d$ and H_{RC} are given. The dependence of D, $\triangle d/d$ and H_{R_C} temperature at a constant time of relaxation (one hour) is shown in Fig 2. As a result of the above investigations the authors have arrived at the following conclusions: (1) In the process of softening of plastically deformed steel St.45 a constant increase in the size of blocks D and a fall in the magnitude of distortions Ad/d with increase in duration and temperature of relaxation is observed. (2) A similar Card 3/5 relationship has been established for the values of D' which have been found by harmonic and $\sqrt{\Delta L_0^2}$ $\overline{\mathtt{L}}_{\mathtt{O}}$

SOV/139-59-1-23/34

X-Ray Study of the Softening of Plastically Deformed Steel During Temperature Relaxation

analysis. A comparison of these magnitudes with those of D and Ad/d, which are obtained by the Kurdyumov-Lysak method, shows satisfactory agreement. (3) the constancy of the magnitude of the "Regions of uniformity" Lo in isothermal relaxation and the absence of any crushing of blocks both at isothermal and isochronic relaxation allows the deduction that removal of secondary distortions is not accompanied either by unbending of blocks or by plastic slipping, to be confirmed. Removal of distortions in this case can occur by increase of those regions of the metal, the lattice of which is not distorted, and hence by a decrease of the regions of distorted lattice. (4) Testing the hardness, which constantly decreases during relaxation, has enabled its linear dependence on

Card 4/5 / Ad 1 to be established; thus, there exists a

SOV/139-59-1-23/34

energy and compared the compare

X-Ray Study of the Softening of Plastically Deformed Steel During Temperature Relaxation

relationship between the characteristic of hardening and the characteristics of submicro-non-uniformity of the hardened metal.

Card 5/5 There are 3 figures, 3 tables and 22 references, 18 of which are Soviet and 4 English.

ASSOCIATION: Petrozavodskiy Gosuniversitet

(Petrozavodsk State University)

SUBMITTED: April 21, 1958

.18 (7) AUTHORS:

SOV/163-59-2-33/48 Potakhin, N. Ye., Shivrin, O. N.

TITLE:

The Method of the Fourier Analysis of Interference Lines

Blurred by Distortions and the Dispersity of Blocks

(K metodike Fir'ye-analiza interferentsionnykh liniy, razmytykh

za schet iskazheniy i dispersnosti blokov)

PERIODICAL:

Nauchnyye doklady vysshey shkoly. Metallurgiya,

1959, Nr 2, pp 186-188 (USSR)

ABSTRACT:

The solution of some problems, e.g. the investigation of the

anisotropy of distortions in different crystallographic

directions, is only feasible by an analysis of one line. B. Ya. Pines (Ref 1) suggested methods of approximation for this case

to separate the distortion effect and the block effect (determination of the coefficients Λ_t^d and Λ_t^{bl}). One of these

methods presupposes isomeric blocks so that the dependence of

the coefficient $\mathbf{A}_{\mathbf{t}}^{\mathbf{bl}}$ on t becomes linear with the angle

coefficient $\frac{-dA_t^{total}}{dt}\Big|_{t=0}^{\infty}$ For the graphic determination of

Card 1/3

The Method of the Fourier Analysis of Interference SCV/163-59-2-33/48 Lines Blurred by Distortions and the Dispersity of Blocks

this differential quotient, the authors suggested, in a previous paper (Ref 2), a "secant method" in which additional values of A total are computed for t between 0 and 1, and the tangent on the curve A total (t) is replaced at t = 0 by a secant which goes through t = 0, t = 0.1 or t = 0.2. In this paper, a new approximation is suggested. Under the assumption of isomeric blocks, a series is derived: $f(t) = a + Bt - aBt^2 + a$

 $B = k\epsilon^2, \quad \xi = \frac{\sqrt{\Delta L_0^2}}{L_0}$ k is a constant factor the value of which can be computed from formulas (91) and (92) indicated by

Card 2/3

The Method of the Fourier Analysis of Interference SOV/163-59-2-33/48 Lines Blurred by Distortions and the Dispersity of Blocks

B. Ya. Pines (Ref 1). The method suggested was experimentally checked on steel with the radiation Cr-(211), Fe-(220). Co-(310) and Mo-(651, 732). A diagram shows the function f(t) for different ϵ . The condition of linearity is well satisfied in the range $0 \le t \le 1$. A table compares the values of ϵ found by the secant method and by the new method. The maximum difference is 8%. Therefore, the method suggested can be used for the determination of the amount of distortion of the lattice. There are 1 figure, 1 table, and 3 Soviet references.

ASSOCIATION:

Petrozavodskiy gosudarstvennyy universitet

(Petrozavodsk State University)

SUBMITTED:

June 2, 1958

Card 3/3

```
SHIVRIN, O.N.

Anisotropy of distortions of the second type in plastically deformed steel. Izv. vys. ucheb. zav.; fiz. no.4:72-76 '59.

(MIRA 13:3)

1.Petrozavodskiy gosuniversitet.

(Steel) (Deformations (Mechanics))
```

18 (7), 24 (4)

AUTHOR:

Shivrin, O. N.

SOV/32-25-5-13/56

TITLE:

Investigation of the Surface Cold Hardening With the X-ray

Photography Method by Means of the Diagonal Cut (Issledovaniye poverkhnostnogo naklepa metodom

rentgenografirovaniya po kosomu srezu)

PERIODICAL:

Zavodskaya Laboratoriya, 1959, Vol 25, Nr 5, pp 560-561 (USSR)

ABSTRACT:

Investigations of the surface structure after cold hardening are usually carried out by taking off thin metal layers in the electrolytic or chemical way, and the metal structure is examined by roentgenography. This method has the disadvantage that the preceding metal layer is always dest oyed and no general picture of the structural changes can therefore be considered. The diagonal cut method allows repeated measurements on the same sample and is widely used for investigations of the surface hardening for the determination of microhardness (Ref 1). In the case under review the last mentioned method was applied with some modifications to roentgenographic investigations of the surface hardening that occurs on turning steel 45 and brass L 62. The cut was made under a small angle (10), and the cut surface on the steel

Card 1/2

Investigation of the Surface Cold Hardening With SOV/32-25-5-13/56 the X-ray Photography Method by Means of the Diagonal Cut

was first polished with aluminum oxide and with GOI pastes afterwards. On the brass samples the cut surfaces were prepared by milling and subsequent polishing. Roentgenograms were taken along the cut surfaces with the 1-KROS camera. Measuring results of the variation of the line width (211) of ferrite on steel samples 45 which were turned at different cutting speeds (Fig 1) show the thickness of the hardened layer to be always larger than 0.5 mm. The distribution of microdeformations in the surface layers of brass (Fig 2) differs from the one on steel, which is explained by phase transformations at higher cutting speeds (i.e. higher temperature). There are 2 figures and 2 Soviet references.

ASSOCIATION:

Petrozavodskiy gosudarstvennyy universitet (Petrozavolski State University)

Card 2/2

18.8100,18.9200

77703 SOV/148-60-1-32/34

AUTHORS:

Shivrin, O. N., Teplitskaya, E. L.

TITLE:

X-Ray Scattering in Deformed Tungsten

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Chernaya

metallurgiya, 1960, Nr 1, pp 180-182 (USSR)

ABSTRACT:

Continuing their previous studies (Izvestiya VUZ MVO, Fizika, in print) in which the structure of powdered tungsten had been investigated using copper radiation, hardly suitable for the detection of "3d-type distortions"

(Abstracter's Note: No definition is given; the expression is likely to mean rotation twinning in deformed crystals), the authors carried out additional experiments using shortwave Mo radiation. The X-ray diffraction photographs of tungsten powder, compressed into plates, were taken with camera RKE at 25 and 40° angles between the plates and incident beam. Four photographs were taken from either position. The mean diffraction intensities from eight reflecting planes,

Card 1/4

X-Ray Scattering in Deformed Tungsten

77709 SOV/148-60-1-32/34

the sums of squared indices of which were 6, 8, 10, 14, 18, 26, 30, and 38, furnished the experimental values of atomic scattering functions $\rm f_{\rm exp}$. The

values were close to $f_{\underline{m}}$, computed according to Thomas-Fermi, except for those $f_{\underline{m}}$ obtained from low-index reflecting planes. In the platter case, the somewhat decreased experimental values, and lower $f_{\underline{m}}$: f ratio

(see Fig. 1) are an effect of primary extinctions. The ratio is close to 1 when the crystals are parted into blocks whose $D=5\cdot 10^{-5}$ cm. "3rd-type distortions" would have decreased the ratio with the increased Miller indices of the reflecting planes. Since this is not the case, the experiments with Mo radiation confirm the authors' earlier conclusion that no "3rd-type distortions" occur in powdered tungsten. There is 1 figure; and 9 references, 5 Soviet, 2 U.K. 1 U.S., 1 Czechoslovakian. The U.K. and U.S. references are: R. I. Weiss, Proc. Phys. Soc., B 65, 391, 553, 1952; A. R. Lang, Proc. Phys. Soc., B 66, 408, 1003,

Card 2/4

X-Ray Scattering in Deformed Tungsten

77709 SOV/148-60-1-32/34

1953; R. W. James, Optical Principles of the Diffraction of X-Rays, MacMillan, N. Y.

ASSOCIATION:

Petrozavodsk State University (Petrozavodskiy

gosudarstvennyy universitet)

SUBMITTED:

October 27, 1958

Card 3/4

X-Ray Scattering in Deformed Tungsten

77709 sov/148-60-1-32/34




Fig. 1. Comparison of the experimental data with those computed theoretically and corrected for primary extinction according to the Darwin equation. (1) $D = 1 \cdot 10^{-5}$; (2) $D = 5 \cdot 10^{-5}$; (3) $D = 1 \cdot 10^{-4}$ cm.

Card 4/4

S/170/60/003/005/015/017 B012/B056

AUTHOR:

Shivrin, O. N.

TITLE:

The Problem of the Macrohomogeneity of Microdeformations and the Existence of a Weakened Surface Layer

PERIODICAL:

Inzhenerno-fizicheskiy zhurnal, 1960, Vol. 3, No. 5,

pp. 131-135

TEXT: In the present paper, the influence exerted by a weakened surface layer upon the character and the size of microdeformations, as well as the influence exerted by the size of metal grains was investigated. The difference in granularity was attained by means of a corresponding heat treatment. In the first part of the paper, the heat treatment of samples of the grade steel ct.20 (st. 20), their preparation for the experiments, and the experiments themselves are described in brief. The second part contains the results, which are discussed. It is shown that neither in coarse—nor in fine-grained steel of the grade investigated, any influence could be found to be exerted by the weakened surface layer on discriented macrodeformations (that would have led to a macrohomogeneity of the microdeformations). The experiments also showed that the microstructure exerted

Card 1/2

/B

The Problem of the Macrohomogeneity of Microdeformations and the Existence of a Weakened Surface Layer S/170/60/003/005/015/017 B012/B056

a very slight influence upon the dependence of the disoriented microdeformations upon the crystallographical direction. It is pointed out that
this is in accordance with the fact that the anisotropy coefficients are
independent of the degree of deformation, which had been shown to exist
in the papers of Refs. 9, 13. It is declared with some caution that the
anisotropy coefficients are rather universal, and are constant for the
material concerned. There are 3 tables and 13 references: 12 Soviet and
1 British.

B

ASSOCIATION:

Gosudarstvennyy universitet, g. Petrozavodsk (State University, Petrozavodsk)

Card 2/2

\$/070/60/005/005/025/026/XX E132/E160

AUTHOR:

Shivrin, O.N.

TITLE:

On the Applicability of the Corrective Formulae for

Primary and Secondary Extinction

PERIODICAL: Kristallografiya, 1960, Vol.5, No.5, pp.797-800

The nature of the mosaic structure of crystals is often determined from the extinction effects which occur. The commonest technique is to use a correction formula giving the dependence of on sin \mathcal{I}/λ . I_{obs}/I_{calc} Various formulae are used and these are not all the same. The differences between them are discussed. For primary extinction there are expressions due to Darwin. Ekstein-Weiss-Lang and Wilchinsky. However, the latter two are thought to be no improvement on the earlier formula of Darwin. For secondary extinction there are formulae by Hall and Williamson, Weiss and Lang. The use of Hall and Williamson's formula (Ref. +), the simplest, is recommended. All are, however, related to the original formula of Darwin. There are 10 references: 5 Soviet and 5 English. ASSOCIATION: Petrozavodskiy gosudarstvennyy universitet (Petrozavods State University)

SUBMITTED:

S/126/60/010/004/013/023 E111/E452

AUTHORS: Shivrin, O.N. and Gerasimova, L.M.

TITLE: Structural Disturbances Producing Changes in the

Intensity of X-Ray Interference

PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol.10, No.4,

pp.586-589

The authors note that interference intensity is sometimes TEXT: more influenced by extinction effects associated with fine mosaic structure than by static atomic displacement (called "type-III disturbances"). In continuous polycrystalline specimens, texture also has an effect which has led to many investigations being carried out on powders. However, such investigations cannot solve important problems relating to continuous specimens, e.g. in which structural disturbances are responsible for metal strengthening in plastic deformation. Their present brief work (for Shivrin a continuation of previous investigations - Refs.3,5) deals mainly with continuous specimens, especially the development of techniques to give reliable results. It had been concluded (Ref.3) that for deformed steel, copper, brass and aluminium, secondary extinction predominates in the annealed state. To check this an annealed Card 1/3

S/126/60/010/004/013/023 E111/E452

Structural Disturbances Producing Changes in the Intensity of X-Ray Interference

steel was investigated with a view to quantitative treatment of extinction. One specimen (of type 45 steel) was heat-treated to give a fine-grained, and another to give a coarse-grained structure. Patterns were obtained with filtered Co Ka radiation. The ratio of the theoretical to the experimental integral intensity is plotted against the value of the specific reflecting capacity. A linear relation was found for both specimens (Fig.1) indicating absence of primary extinction. Block disorientation was calculated from these Results differ from those of V.I.Ivernova et al.(Ref.12). A material very different from those previously studied is tungsten. The authors'attempt to study monolithic specimens failed. results for various powder sizes agree well (Fig.2) with those calculated by Darwin's equation. The absence of type-III disturbances is attributed to the exceptionally high brittleness of tungsten. There are 3 figures and 12 references: 7 Soviet. 4 English and 1 in Acta cryst.

Card 2/3

s/126/60/010/004/013/023 E111/E452

Structural Disturbances Producing Changes in the Intensity of X-Ray Interference

ASSOCIATION: Petrozavodskiy gosudarstvennyy universitet

(Petrozavodsk State University)

SUBMITTED:

July 25, 1959 initially January 18, 1960 after revision

Card 3/3

SHIVRIN, O.N.

Anisotropy of crystallites above the elastic limit. Fiz. met. i metalloved. 10 no.4:638-639 0 '60. (MIRA 13:11)

1. Petrozavodskiy gosudarstvennyy universitet.
(Metal crystals) (Anisotropy)

SHIVRIM, O. N., Gend. Phys-Meth. Sci. (diss) "Crystal Structure of Deformed Metals." Moscow, 1981, 18 pr. (Moscow State Univ.)
150 copies (KL Supp 12-81, 254).

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549620007-7"

是 直接电影

*	Mosaic structure of metallic polycrystals and extinction effects.	
	Part l. Izv.vys.ucheb.zav.; fiz. no.1:115-123 '61. (MIRA 1/	.:7)
	1. Petrozavodskiy gosudarstvennyy universitet. (Metal crystals) (Crystal lattices)	

SHIVRIN, O.N.

Changes in the mosaic structure of metals as a result of relaxation and recrystallization. Fiz. met. i metalloved. 12 no.1:125-131 J1 61. (MIRA 14:8)

1. Petrozavodskiy gosudarstvennyy universitet. (Metallography)

EUZNETSOV, A.V.; SHIVRIN, O.N.

Mutual interference on X rays reflected by different mosaic blocks in a crystallite. Kristallografiia 7 no.1:134-136 Ja-F '62. (MIRA 15:2)

 Petrozavodskiy gosudarstvennyy universitet. (X-ray crystallography)

PDP86-00513R001549620007

```
5/857/62/000/029/002/003
                                                                                                                                                                                                                                                      E193/E383
                                                                                       Structural defects in steel tested at stresses higher
                                                                                      Shivrin, O.N. and Teplitskaya, E.L.
                                                                                             Leningrad. Inzhenerno-ekonomicheskiy institut.
                                                                                                                                                                                                                                                                                                                                                                                                    Trudy.
                                                                                               Leningrad. Inznenerno-ekonomichepaty inschey k

no. 29. 1962. Primeneniye rentgenovykh luchey k
                                                                                           than the fatigue limit
                     AUTHORS:
                                                                                                   According to some workers (e.g. Ye.A. Mamontov - Uch.
                                                                                                 issledovaniyu materialov. 155 - 160
                                 TEXT:

According to some workers (e.g. Ye.A. Mamontov sharp to some workers (v.125, 31, 1956), a sharp to some workers (e.g. Ye.A. Mamontov sharp to some workers (e.g. Ye.A. Mamontov sharp to some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-taken as an in-ta im. Some workers (e.g. Ye.A. Mamontov sharp taken as an in-taken as a
                      TITLE:
                            SOURCE:
                                      indication that the metal has been stressed beyond the fatigue by the results the metal has not been supported by the results limit. This view, however, has not been supported by the results of some recent investigations (A. Kokhanovskava Chekhoslovatski of some recent investigations).
                                         limit. This view, however, has not been supported by the results Chekhoslovatskiy of some recent investigations (A. Kokhanovskaya promoted the fizicheskiv shurnal. 4, 3, 381, 1954) and this has promoted the
                                           of some recent investigations (A. Kokhanovskaya - Chekhoslovatsk the fizicheskiy shurnal, 4, 3, 381, 1954) and this has prompted the fizicheskiy shurnal, 4, 3, this problem in greater detail. Expering the study this problem in greater detail.
                                             fizicheskiy shurnal, 4, 3, 381, 1954) and this has prompted the Experision of the study this problem in greater detail. 0.02% Si, present authors to study this problem in greater o.16% C, o.02% Si, o.3% P. 0.54% S and 0.34% Mn. Standard. rotating-beam type o.3% P. 0.54% S and 0.34% Mn.
                                                mental work was conducted on a steel containing 0.16% C, 0.0 of the conducted on a steel containing of type Standard, rotating-beam type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of type of the conducted on a steel containing of the conducted on a stee
                                                  0.3% P, 0.54% S and 0.34% Mn. Standard, rotating-beam type were fatigue test pieces with a notch (5 mm wide, 0.5 mm deep) 2 house they were given a preliminary annualing treatment of 2 housed.
    f
                                                   latigue test pieces with a notch (5 mm wide, 0.5 mm deep) were used; they were given a preliminary annealing treatment of 2 hours
   Fε
  st,
  nea
 giv:
 tivi
cycl.
                                                                                                                                                                                                                             -atigue limit was not
accon
                                                        Card 1/3
                                                                                                                                                                                 of defects of the second type.
Card
```

Structural defects

S/857/62/000/029/002/003 E193/E383

only noticeable effect was misalignment of blocks indicated by tangential blurring of the spots on the Laue-back-reflection patterns and by weakening of the secondary extinction effect for reflections with high values of Q/μ . No significant distortions of the third type were observed in steel tested above the fatigue limit; this, however, could be attributed to the highly localized nature of fatigue and the impossibility of locating the region of maximum distortion. There are 2 figures and 1 table.

Card 3/3

ACCESSION NR: AP4025091

\$/0139/63/000/006/0095/0098

AUTHORS: Zazovskaya, I. A.; Shivrin, O. N.

TITLE: Mosaic structure of metallic polycrystals and extinction effects. 2

SOURCE: IVUZ. Fizika, no. 6, 1963, 95-98

TOPIC TAGS: extinction effect, microgranular tungsten, x-ray irradiation, coarse powder, radiography, diffractometer, coherence domain

ABSTRACT: The extinction effect in coarse and microgranular tungsten powder under copper and molybdenum x-ray irradiation was studied. The coarse powder averaged 0.2-0.25 mm in size, whereas the fine specimen had a mean size of $10\,\mu$. Plane specimens were prepared from both types of powders with BF-2 bond, and the radiography was carried out on diffractometer URS-50-I in filtered copper and molybdenum. The measurements indicate that the coherence domain dimensions, evaluated from primary excitation effects, decrease with a decrease in radiation wave length. Measurements on the microgranular powder, however, show a very weak extinction from both Cu- and Mo-radiations, and even with a nonuniform coherence domain the results do not show the expected values. Hence, only a general

Card 1/2

qualitative argument is established on the optical nature of the Orig. art. has: 4 figures. ASSOCIATION: Petrozavodskiy gosuniversitet (Petrozavod State Un SUBMITTED: 12Jun62 DATE ACQ: 14Feb64 SUB CODE: PH NO REF SOV: 007	
SUBMITTED: 12Jun62 DATE ACQ: 14Feb64	
	niversity)
SUB CODE: PH NO REF SOV: 007	ENCL: 00
	OTHER: 001

Card 2/2

VANICHEVA, G.V.; BABICHEVA, M.I.; KULMANEN, E.V.; SHIVRIN, O.N.

Dependence of microhardness on loading. Fiz. met. i metalloved. 17 no.2: 234-236 F '64. (MIRA 17:2)

1. Petrozavodskiy gosudarstvenny universitet.

GERMANOV, Ye.P.; SHIVRIN, O.N.

Change in the integral intensity of X-ray reflections of plastically deformed molybdenum in the state of low-temperature relaxation. Kristallografiia 9 no.4:527-530 Jl-Ag '64. (MIRA 17:11)

1. Petrozavodskiy gosudarstvennyy universitet.

SHIVRIN, O.N., CHUDINGVA, B.A.

ことにも一般に響動機の過去してい

Certain anomalies of the broadening of X-ray interferences from plastically deformed aluminum. Six. met. i metallovel. 18 no.4: 525-529 0 '64. (MIRA 18:4)

1. Petronavodskiy gosudarstvennyy universitet imeni Kuusinena.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549620007-7"

ATESHINA, 1.A.: Milament, h.l.; Chilyari, c.h.


Optical connection between polycrystalline mosaic blocks and blarring effects of X-ray interference. Fiz. met. i metalloved. 18 no.6:840-844 D 164. (MIRA 18:3)


1. Petrozavodskiy gosudarstvennyy universitet imeni Kuusinena.


Institution manages in the tensity of passing private during the second view of a comparation. Inv. typ. compel. Zav.; tavet. set. 7 no.6:90-93 ton.


(NECA 19:3)


1. set reserved by grounders twenty universitat, have investigated as private large first.




















LOVYAGINA, Ye.V.; SHIVRINA, A.N.; PLATONOVA, Ye.G.

Chromatographic analysis of hydrolysates of the active principle of excrescences produced by the pore fungus Inonotus obliquus f. starili [with summary in English]. Biokhimiia 23 no.1:41-46 Ja-F '58.

(MIRA 11:3)

1. Laboratoriya novykh antibiotikov Botanicheskogo instituta im. V.L.Komarova, Leningrad.

(CHROMATOGRAPHIC ANALYSIS) (WOOD-DECAYING FUNGI)

2000 EL MESTRE EL COMPANY EL CONTROL DE CON

NIZKOVSKAYA, O.P.; MILOVA, N.M.; SHIVRINA, A.N.; LOVYAGINA, Ye.V.; PLATONOVA, Ye.G.

Biology and biochemistry of "chaga," the sterile form of Poria obliqua. Trudy Inst. mikrobiol. no. 6:277-285 '59. (MIRA 13:10)

1. Laboratoriya novykh antibiotikov Botanicheskogo instituta AN SSSR.

(PORIA OBLIQUA)

SHIVRINA, A.N.; LOVYAGINA, Ye.V.; PLATONOVA, Ye.G.

Nature and origin of the water-soluble pigment complex formed by Inonotus obliquus (Pres.) Pil. [with summary in English]. Biokhimiia 24 no.1:67-72 Ja-F '59. (MIRA 12:4)

1. Laboratory of New Antibiotics, the Botanical Insitute, Academy of Sciences of the U.S.S.R., Leningrad.

(FUNGI,

Inonotus obliquus, isolation of water-souble pigment complex (Rus))

SHIVRINA, A.N.; NIZKOVSKAYA, O.P.; LOVYAGINA, Ye.V.; PLATONOVA, Ye.G.; MILOVA, N.M.

Chemical composition of pore fungi at different stages of their development. Bot.zhur. 44 no.12:1724-1727 D '59. (MIRA 13:4)

1. Botanicheskiy institut im. V.L.Komarova Akademii nauk SSSR, Leningrad.

(Mushrooms--Chemical composition)

LOVYAGINA, Ye.V.; SHIVRINA, A.N.; PLATONOVA, Ye.G.

Investigating carbonyl fraction of hydrolysates of a water-soluble pigment complex produced by the polyporaceous fungus Inonotus obliquus. Biokhimiia 25 no.4:640-645 Jl-Ag '60. (MIRA 13:11)

1. Laboratory of Biochemistry of Lower Plants, Botanical Institute, Academy of Sciences of the U.S.S.R., Leningrad.
(MUSHROOMS) (SINAPALDEHYDE)

NIZOVSKAYA, O.P.; SHIVRINA, A.N.; LOVYAGINA, Ye.V.; PLATONOVA, Ye.G.; MILOVA, N.M.

Conditions for the formation of the pigment complex of Inonotus obliquus in artificial cultures. Mikrobiologiia 29 no.3:441-445 My-Je '60. (MIRA 13:7)

1. Botanicheskiy institut im. V.L.Komarova AN SSSR, Leningrad. (WOOD-STAINING FUNGI)

SHIVRINA, A.N.; LOVYAGINA, Ye.V.; PLATONOVA, Ye.G.

Spectrophotometric characteristics of a crystalline carbonyl compound isolated from the pigment complex of the fungus Inonotus obliquus. Dokl.AN SSSR 132 no.6:1444-1447 (MIRA 13:6) Je '60.

1. Botanicheskiy institut im. V.L.Komarova Akademii nauk SSSR. Predstavleno akademikom A.L. Kursanovym. (WOOD-DECAYING FUNGI) (CARBONYL COMPOUNDS)

YAKIMOV, P.A., prof., otv. red.; YEFIMENKO, O.M., red.; LOVYAGINA, Ye.V., red.; MIZKOVSKAYA, O.P., red.; SHIVRINA, A.N., red.; BELKINA, M.A., red. izd.ya; ZENDEL', M.Ye., tekhn. red.

[Comprehensive study of physiologically active substances of lower plants] Kompleksnoe izuchenie fiziologicheski aktivnykh veshchestv nizshikh rastenii. Moskva, Izd-vo Akad.nauk SSSR, 1961. 279 p.

(MIRA 14:12)

1. Akademiya nauk SSSR. Botanicheskiy institut. 2. Laboratoriya biokhimii nizshikh rasteniy Botanicheskogo instituta im. V.L. Komarova AN SSSR (for Yakimov, Yefimenko, Lovyagina, Nizkovskaya, Shivrina). (Harmones (Plants))

Chemical and spectrophotometric characteristics of water-soluble hundralike compounds formed by the fungus Inonotus obliquus (Pers.)
Pil. Pochvovedenie no.11:51-60 N '62. (MIRA 16:1)

1. Botanicheskiy institut imeni V.A.Komarova. (Wood-decaying fungi) (Humic substances)

SHIVRINA, A.N.; MASLOVA, R.A.

Amino acid composition of humus-type substances formed by some wood-decaying fungi. Pochvovedenie no.11:63-67 N '63. (MIRA 16:12)

1. Botanicheskiy institut imeni V.L. Komarova.

SHIVEINA, Antonina Nikelayevna; FEDCROV, Alah, and Biolo[Biologically active substances of higher fungi] Biolo-

gicheski aktivnye veshchestva vysshikh gribov. Moskva, Nauka, 1965. 197 p. (MIRA 18:3)

1. Chlen-korrespondent AN SSSR (for Federav).

SHIVRINA, A.N.

Biologically active compounds in higher fungi. Rast. res. 1 no.1:31-41 '65. (MIRA 18:6)

1. Laboratoriya biokhimii nizshikh rasteniy Botanicheskogo instituta im. V.L. Komarova AN SSSR, Leningrad.

YEFIMENKO, O.M., otv. red.; NIZKOVSKAYA, O.P., red.; SHIVRINA, A.N., red.; YAKIMOV, P.A., red.

[Feed proteins and physiologically active substances for livestock farming; higher fungi as possible sources of their production] Kormovye belki i fiziologicheski aktivnye veshchestva dlia zhivotnovodstva; vysshie griby kak vozmozhnye istochniki ikh polucheniia. Moskva, Nauka, 1965. 126 p. (MIRA 19:1)

1. Akademiya nauk SSSR. Botanicheskiy institut. 2. Laboratoriya biokhimii nizshikh rasteniy Botanicheskogo instituta im. V.L.Komarova AN SSSR (for Yakimov, Shivrina).

 Lity Maket all	Milia, Feli				
	n a est a compensation occupation un repla se cam o nyou anceau marant total to bet. O so perfé			irmentation amelysis. 21 - Hal. (1184-18:3)	
Imaskoja ovoj ikon jed ismnikyka metalikov, kafadra glij pagkio ideopaje ivoko				(อส์ทธุากิจสระหณ่ายา	obowasheleniya

87354

9.1910 S/035/60/000/012/012/019 A001/A001

Translation from: Referativnyy zhurnal, Astronomiya i Geodeziya, 1960, No. 12, p. 48, # 12267

AUTHORS: Khaykin, S. E., Kaydanovskiy, N. L., Yesepkina, N. A., Shivris, O. N.

TITLE: The Great Pulkovo Radiotelescope

PERIODICAL: Izv. Gl. astron. observ. v Pulkove, 1960, Vol. 21, No. 5, pp. 3-26

(English summary)

TEXT: The authors describe the principle, design and results of investigation of the new mirror radiotelescope for centimeter wavelengths. The radiotelescope has the large surface of the reflector and is characterized by the high resolving power. Some astronomical results obtained by means of this instrument are presented. The reflector of the radiotelescope consists of a number of flat reflecting elements which form a polyhedral surface touching the surface of an elliptic cone. The reflector transforms the plane incident wave into a cylindrical one with a vertical axis. The cylindrical wave is transformed into a spherical one by the second mirror, a parabolic cylinder. The high relative precision of

Card 1/2

CIA-RDP86-00513R001549620007-7

87354

\$/035/60/000/012/012/019 A001/A001

The Great Pulkovo Radiotelescope

the dismembered reflecting surface is achieved by the precise arrangement of its individual elements. The axis of the radiotelescope can be installed in any direction by displacements of reflecting elements and irradiator. Geometry of the reflecting surface, special features of the radiotelescope directivity diagram, and kinematics of mechanisms for the positioning of reflecting elements, are considered, and the measured characteristics of the radiotelescope are presented. There are 22 references.

From authors' summary

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

CIA-RDP86-00513R001549620007-7 "APPROVED FOR RELEASE: 08/23/2000

3,1710 3,2500 (1080)

30753 5/141/61/004/003/004/020 E133/E435

AUTHORS:

Kaydanovskiy, N.L., Ikhsanova, V.N., Apushkinskiy, G.P., Shivris, O.N.

TITLE:

Observations of lunar radio emission at a wavelength $\lambda = 2.3$ cm, using the large Pulkovo radiotelescope

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Radiofizika, 1961, Vol.4, No.3, pp.428-432

It has been shown (Ref. 1; V.S. Troitskiy, Astron. zh., 31, TEXT: 511 (1954)) that measurements of the brightness temperature at the centre of the lunar disc permit an estimate to be made of the equivalent conductivity of the lunar surface material. measures, carried out over the course of a lunation, demand great stability of the instrument used. In order to minimize the

stability requirements, the antenna temperature was determined indirectly by measuring the displacement (x) of the centre of gravity of the emitted lunar radiation from the geometrical centre Using this method, the amplification coefficient of of the Moon. the system only has to remain constant during the course of one The use of the displacement x is discussed in the observation. Card 1/4/

S/141/61/004/003/004/020 E133/E435

Observations of lunar radio

paper of N.L.Kaydanovskiy and his team (Ref.2: Izv. AN SSSR, M., 1956, p,347). The results there are inaccurate owing to the fact that the lower reflectivity of the Moon, towards the limb, was ignored. The antenna temperature is derived from the displacement in the way which has been described by Troitskiy Only the first harmonic term is retained in the present The variation of x with the amplitude of the variable component of the brightness temperature at the centre of the disc is thus obtained. The theory of Troitskiy assumes that the Moon's orbit lies in the ecliptic plane and that there is no libration. This approximation is applicable except near new, or full, moon. At these latter times, however, the displacement of the centre of gravity of the lunar radiation is small and, therefore, the deviations can also be ignored at these points. The authors discuss the use of an antenna with a low half-width in one coordinate and a considerably greater half width in the other coordinate (Fig.2). Such an antenna can be used so long as the pattern is slongated parallel to the plane of the Earth-Moon axes, so long as it is trailed in a direction perpendicular to this. Observations of the Moon were made in October-December 1959 at Card 2/4/

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549620007-7"

30753 5/141/61/004/003/004/020 E133/E435

Observations of lunar radio ...

The angular $\lambda = 2.3$ cm on the large Pulkovo telescope. resolution of the antenna was 2' in one direction and 20' to 1° The observations were made with the Moon at upper culmination in order to fulfil the conditions mentioned in the previous paragraph. Fig. 4 shows the variation of x with lunar $x = 0^{\circ}.17$ ($\omega t - 35^{\circ}$), where t is counted from the new The accuracy of this expression is \pm 30%. phase. of the variable component at the centre of the lunar disc is, hence, Moon. derived as 13.5 + 4°K. Acknowledgments are expressed to There are 4 figures and 4 Soviet-bloc S.E.Khaykin and A.A.Novysh. references.

ASSOCIATION: Glavnaya astronomicheskaya observatoriya AN SSSR

(Main Astronomical Observatory AS USSR)

October 7, 1960 SUBMITTED:

Card 3/#)

VLASOV, A.G.; PONOMAREV, V.P.; SHIVYRTALOV, M.T.; SHCHENIN, P.M.

Vacuum systems for electron accelerators. Izv. TPI
122:99-107 '62. (MIRA 17:9)

1 (E. Signistry Alcohol Syntheses

Jul 49

"Synthesis and Conversion of Tertiary Aliphatic Archetic Alcohols of the Ethylene Jeries: 1, Synthesis of Methylphenylvinylcarbinol and Methylhenzylvinylcarbinol," A. 1. Lebeleva, V. A. Shiyakova, Stu, Lab imeni Acad A. Ye Favorskiy, Leningrad Ord of Lonin State B imeni A. A. Zhidanov, G. pp

"Zhur Cochch Khin" Vil XIX, No 7

Separate ration of phenyl magnesium bromide and bencyl magnesium tromide, on rethylvinylketone produced, respectively, corresponding tertiary ethylene alcohols (both previously undescribed in literature). In each case a saturated ketone was also produced: bencylacetone and 1-phenylpentanone-4, respectively. Butnitte: 26 Jan 48.

MA 2/5 T28

SHIYAN, A.A., gornyy inzh.

Mine No.7-7bis fights for the title of enterprise of communist labor. Ugol' 36 no.7:5 Jl '61. (MIRA 15:2)

1. Shakhta No.7-7-bis tresta Artemugol' kombinata Primoskugol'. (Uglovoye Basin--Coal mines and mining--Labor productivity)

MOTSNYY, A.V.; SHIYAN, F.I.; BAZILEVSKIY, A.R.; VOLOSHINA, N.M.

Treating internal surfaces of ingot molds with a powdered-metal paste. Sbor.rats.predl.vnedr.v proizv. no.5:17 160.

ste. Scor. rats. prediction profile. Idea 14:8)

1. Yenakiyevskiy metallurgicheskiy zavod. (Foundries---Equipment and supplies)

SHIYAN, I.V.

Use of diacarb in the treatment of internal diseases. Sov.med.

(MIRA 14:3)

1. Iz gospital noy terapevticheskoy kliniki (dir. - deystvitel nyy chlen AMN SSSR prof. A.L. Myasnikov) I Moskovskogo ordena Lenina meditsinskogo instituta imeni I.M. Sechenova.

(THIADIAZOLESULFONAMIDE) (HEART FAILURE)

(HYPERTENSION)

SHIYAN, I.V.; LUZKOVA, S.L.; MATVEYEVA, L.S.; ZILOVA, A.N.

Osseous form of xanthomatosis in adults. Klin. med. 38 no. 4:141(MIRA 14:1)

145 Ap '60. (LIPOIDOSIS)

SHIYAN, I. V., CAND MED SCI, "CONDITION OF TONUS AND PERMEABILITY OF VESSELS IN CHRONIC ALCOHOLISM." VITEBSK, 1961.

(VITEBSK STATE MED INST). (KL-DV, 11-61, 231).

_3*00* **-299-**

SHIYAN, I. V.

。[5] \$P\$ [5] **

Tonus and permeability of the blood vessels in chronic alcoholism.

Terap. arkh. 33 no.5:32-40 My 161. (MIRA 14:12)

1. Iz fakul¹tetskoy terapevticheskoy kliniki (dir. - prof. A. G. Gukasyan) sanitarno-gigiyenicheskogo fakul¹teta I Moskovskogo ordena Lenina meditsinskogo instituta imeni I. M. Sechenova.

(ALCOHOLISM) (CAPILLARIES - PERMEABILITY)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549620007-7"

AVDUSHEVA, M.P.; VOSTRIKOVA, V.A.; LIPYANSKAYA, R.S.; SHIYAN, K.K.; Prinimali uchastiye: ANTONETS, L.G., nauchnyy sotrudnik; BELENKINA, S.G., nauchnyy sotrudnik; YEVLANOV, V.D., nauchnyy sotrudnik; SHAIN, B.S., nauchnyy sotrudnik; LYCHAGIN, N.S. SKAB, A.D., kand.istor.nauk, red.; VORONINA, V.M., red.; SHEVCHENKO, M.G., tekhn.red.

[History of the Kharkov Locomotive Plant from 1895 to 1917; collected documents and materials] Istoriia Khar'kovskogo parovozostroitel'nogo zavoda, 1895-1917 gg.; sbornik dokumentov i materialov. Khar'kov, Khar'kovskoe obl.izd-vo, 1956. 378 p. (MIRA 14:1)

1. Kharkov. (Province) Gosudarstvennyy arkhiv. 2. Gosudarstvennyy arkhiv Khar'kovskoy oblasti (for Antoneta, Belenkina, Yevlanov, Shain).

(Kharkov-Locomotives--Construction)

SHIYAN, Kirill Karpovich [Shyian, K.]; NEKRASOVA, L., red.; LYAMKIN, V., tekhn.red.

[Struggle of Ukrainian workers for the restoration of industry, 1921-1925] Borot'ba robitnychoho klasu Ukrainy za vidbudovu promyslovosti, 1921-1925 rr. Kyiv, Derzh.vyd-vo polit.lit-ry URSR, 1959. 302 p. (MIRA 13:2) (Ukraine--Economic conditions)

SHIYAN, T.S.

Organizing local population labor force for road work. Avt.dor.
19 no.1:19-21 Ja '56. (MLRA 9:5)

1. Zaveduyushchiy Priazovskim rayavtoshosdorom.
(Zaporozh'ye Province--Road construction workers)

```
PROTASOV, N.F.; STEFAMOV, V.Ye.; DEMCHENKO, V.P.; SHIYAN, V.A.;

KRISHTAFOVICH, P.D.

Rolling SVP-17 and 27 shapes with a greater incline of the walls.

Metallurg 8 no.9:31-34 S '63. (MIRA 16:10)

1. Zavod "Azovstal'."

(Rolling (Metalwork))
```

PROTASOV, N.F.; STEFANOV, V. Ye.; SHIYAN, V.A.; DEMCHENKO, V.P.;
KRISHTAFOVICH, P.D.

Rolling of a No. 16 c'annel by the gradual bending method.
Metallurg 9 no.1:27-29 Ja '64

1. Zavod "Azovstal'".

FROMANOW, N.S., inst.; Streater, t.Ye., inst.; Strictly, Y.A., inch.
Using double radii of a magnion for wais and flanges in the
rolling of lightweight girners. Stal! of no.8:834-836 3 (65.
(MRA 18:9)

1. Zaved "Azovotal".

KHAKHALIN, B.D.; SHIYAN, V.C.

Stresses in chills during the centrifugal casting of iron tubes.

Lit.proizv. no.ll:26-27 N '61. (HIRA 14:10)

(Centrifugal casting) (Thermal stresses)

SHIYAN, V.G.; DAVYDOV, V.A.

Expansion of pipe production from high-strength east iron. Metallurg 6 no.11:27-29 N '61. (MIRA 14:11)

1. Ukrainskiy nauchno-issledovatel'skiy trubnyy institut. (Pipe, Cast iron)